| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|--|---|---------------------|---------|------------------|
| L1 | 500 | (235/494,462.01).CCLS. | US-PGPUB | OR | OFF | 2007/10/27 09:50 |
| L2 | 162 | 1 and @ad<="20030703" | US-PGPUB | OR | ON | 2007/10/27 10:50 |
| L4 | 1800 | (341/50).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/27 10:50 |
| L5 | 4785 | encod\$4 near10 (file\$1 command\$4 destinat\$4 configurat\$4 inputs) near10 (barcod\$4 (bar adj cod\$4) symbol indicia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 10:19 |
| `L6 | 103 | 4 and L5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 10:19 |
| L7 | 46 | 6 and @ad<="20030703" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 10:29 |
| L8 | 183 | ((gui interface window) and (input\$4 enter\$4) and file and command\$4 and encod\$4).clm. | US-PGPUB | OR | ON | 2007/10/27 10:44 |
| L9 | 57 | ((gui interface window) and (input\$4 enter\$4) and file and command\$4 and encod\$4 and (barcode (bar adj code) symbol)).clm. | US-PGPUB | OR | ON | 2007/10/27 10:45 |
| L10 | 47 | 9 and @ad<="20030703" | US-PGPUB | OR | ON | 2007/10/27 10:45 |
| L11 | 488 | (341/50).CCLS. | US-PGPUB | OR | OFF | 2007/10/27 10:50 |
| L12 | 97 | 11 and @ad<="20030703" | US-PGPUB | OR | ON | 2007/10/27 10:50 |
| S1 | 29720 | encod\$4 near10 (barcod\$4 (bar adj cod\$4) symbol indicia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:41 |
| S2 | 118217 | ((user adj interface) gui menu window) near10 (input\$4 address\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:07 |

| S3 | 142 | S1 same S2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/08 12:59 |
|----|-------|--|---|----|----|------------------|
| S4 | 105 | S3 and @ad<="20030703" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 10:29 |
| S5 | 100 | ("3579196" "4104717" "4319225" "4334270" "4388610" "4459678" "4553261" "4742467" "4791556" "4815030" "4851994" "4987550" "4989132" "5075847" "5107423" "5114128" "5138697" "5193180" "5211564" "5237430" "5280613" "5321843" "5326104" "5384669" "5386570" "5390296" "5404493" "5410313" "5467447" "5560010" "5574458" "5613120" "5625770" "5625810" "5646871" "5649214" "5655073" "5671347" "5675756" "5706455" "5734129" "5734886" "5754842" "5768528" "5778406" "5781662" "5794061" "5806072" "5837986" "5883807" "5933829" "5938766" "5940847" "5988898" "5991544" "5991782" "5995963" "6018293" "6023565" "6026242" "6029181" "6032149" "6032198" "6036094" "6108656" "6110227" "6115683" "6184881" "6204862" "6249786" "6289503" "6298481" "6307487" "6320520" "6324672" "6332032" "6335742" "6356923" "6363382" "6411223" "6434561" "6453451" "6466983" "6542933" "6625334" "6631482" "6642925" "6687745" "6687745" "6704730" "6708169" "6766511" "6801229" "6816835" "6845502" "6865608").pn. | US-PGPUB; USPAT | OR | ON | 2007/10/25 14:48 |
| S6 | 98703 | ((user adj interface) gui menu window) near10 (input\$4 enter\$4 indicat\$4 address\$4) near10 (inputs command\$4 instruct\$4 number file directory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:41 |

| S7 | 4785 | encod\$4 near10 (file\$1 command\$4 destinat\$4 configurat\$4 inputs) near10 (barcod\$4 (bar adj cod\$4) symbol indicia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2007/10/27 07:40 |
|-----|-------|--|---|------|----|------------------|
| S8 | 312 | S6 and S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:11 |
| S9 | 40 | S6 same S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:11 |
| S10 | 25 | S9 and @ad<="20030703" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:42 |
| S11 | 0, | encod\$4 near10 formated near10 file | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:40 |
| S12 | 12198 | encod\$4 near10 command | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:40 |
| S13 | 240 | encod\$4 near10 command near10 (barcod\$4 (bar adj cod\$4) symbol indicia) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:41 |
| S14 | 1 | (user adj interface) same S13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:42 |
| S15 | 48 | (user adj interface) and S13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 07:42 |
| S16 | 33 | S15 and @ad<="20030703" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 08:26 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S17 | 138 | ("4471218" "4516016" "4569421" "4797920" "4857716" "4947028" "4961220" "4978305" "4988849" "5109222" "5204768" "5221838" "5324922" "5340966" "5347646" "5365050" "5365577" "5465291" "5483052").PN. OR ("6144848").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/27 07:50 |
| S18 | 89 | S7 and "380"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 08:43 |
| S19 | 76 | S18 and @ad<="20030703" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 08:43 |
| S20 | 9387 | ((235/494,462.01) or (341/22,28) or (382/181,232)).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/27 08:43 |
| S21 | 139 | S7 and S20 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 08:43 |
| S22 | 108 | S21 and @ad<="20030703" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/27 08:44 |